

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	chassis axle position identification area sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 11:39
L2	137	torsion potentiometer position	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 11:40
L3	0	torsion potentiometer position vehicle chassis	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 11:40
L4	2	torsion potentiometer position axle	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 11:47
L5	1187	identi\$4 area register\$4 (position or distance)	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 11:48
L6	1393	identi\$6 area register\$4 (position or distance)	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 11:49
L7	204	identi\$6 area register\$4 (position or distance) direction	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 11:50
L8	2	identi\$6 area register\$4 (position or distance) direction and axle vehicle	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 11:51
L9	1	identi\$6 area register\$4 (position or distance) direction and axle chassis	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 11:52
L10	81	identi\$6 area register\$4 (position or distance) direction (sens\$4 or detect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 11:53
L11	0	10 and "403"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 11:58

## EAST Search History

L12	31520	(sens\$4 or detect\$4) level vehicle	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 11:59
L13	1	(sens\$4 or detect\$4) level vehicle V-rod	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 11:59
L14	61	(sens\$4 or detect\$4) level vehicle axle chassis	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 12:13
L15	85	(sens\$4 or detect\$4) relative position axle chassis	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 12:14
L16	2	(sens\$4 or detect\$4) relative position axle chassis and (v adj rod)	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 12:15
L17	0	(sens\$4 or detect\$4) relative position axle chassis and identif46 with area	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 12:18
L18	3	(sens\$4 or detect\$4) (position or distance) axle chassis and V-rod	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 12:20
L19	2	403/122.ccls. and (sens\$4 or detect\$4) (position or distance) axle chassis	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 12:27
L20	2	403/122.ccls. and (sens\$4 or detect\$4) (position or distance) axle (chassis or body) vehicle	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 12:29
L21	4	403/122.ccls. and (position or distance) axle (chassis or body) vehicle	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 12:30
L22	1	"403"/\$.ccls. and register\$4 direction (position or distance) axle (chassis or body) vehicle	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 12:31
L23	3	"403"/\$.ccls. and register\$4 direction (position or distance) ball joint	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 12:31

## EAST Search History

L24	6	(sens\$4 or detect\$4) register\$4 direction (position or distance) ball joint	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 12:32
L25	0	340/440.ccls. and (sens\$4 or detect\$4) register\$4 direction (position or distance) ball joint	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 12:33
L26	0	340/440.ccls. and (sens\$4 or detect\$4) direction (position or distance) ball joint	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 12:33
L27	0	340/440.ccls. and (sens\$4 or detect\$4) axle chassis (position or distance) ball joint	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 12:33
L28	2	340/440.ccls. and (sens\$4 or detect\$4) axle chassis (position or distance)	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 12:35
L29	0	340/440.ccls. and (sens\$4 or detect\$4) axle chassis (position or distance) rod	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 12:35
L30	0	340/440.ccls. and (sens\$4 or detect\$4) axle chassis (position or distance) V-rod	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 12:35
L31	0	340/440.ccls. and (sens\$4 or detect\$4) axle chassis (position or distance) and V-rod	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 12:35
L32	3	(sens\$4 or detect\$4) axle chassis (position or distance) and V-rod	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 12:39
L33	20	("20040100357" "4756374" "4812806" "4838563" "5148106" "5522468" "5538264" "5609184" "6412790" "6637269").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/24 12:45
L34	0	338/12.ccls. and axle chassis position	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 12:45
L35	0	338/12.ccls. and axle chassis position V-rod	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 12:46

## EAST Search History

L36	0	338/12.ccls. and ball joint position V-rod	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 12:47
L37	0	"338"/\$.ccls. and ball joint position V-rod	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 12:48
L38	0	"338"/\$.ccls. and ball joint position axle chassis	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 12:48
L39	37	ball joint position axle chassis	US-PGPUB; USPAT; EPO; JPO; DERWENT	SAME	ON	2006/12/24 12:48